



ELDERBERRY

A small fast-growing tree with striking white flowers and dark purple berries, this plant is world famous for its immune-boosting properties.

By Rei Myers and Eva Fiallos-Diaz

WE ARE ON STOLEN LAND.
#LANDBACK

Tallahassee, Florida, where the people who made this zine resided during it's making, was called Anhaica (Strong or elite – Place of) by its ancestral caretakers. "Tallahassee" was mistranslated to mean "old fields" or "old town" and credited to Muscogee. It is now thought the word is Itsate (Hitchiti) Creek and translates to "Town of the Highlanders" more closely resembling the meaning of Anhaica.

We honor and appreciate the Apalachee, Mvskoke, and Creek peoples who are the indigenous people of this land. To learn about the indigenous peoples of where you live, visit native-land.ca. To learn more locally, visit The Wildwood Preservation Society on Facebook & Museum at Fred George Park and Greenway.



The Apalachee Indians of the Talimali Band are located in Louisiana. You can learn more about them here: apalacheetalimaliband.com

The Muscogee Nation of Florida is located in the Florida panhandle. You can learn more about them here: mnoffl.com



Scientific name: *Sambucus nigra* L. ssp. *canadensis*
(American elderberry)

Other common names: American black elderberry, Arizona elderberry, American elder, elder, sweet elder, wild elder, flor de saúco (Spanish), tree of music, Danewort, Walewort, New Mexican elderberry, kuuht (Serrano)[1], hunqwát (Cahuilla), coskilpa / ta:bo:ci (Creek-Seminole), velvetleaf elder, hairy blue elderberry, and dwarf elder.

American elderberry is a variety of black elderberry (*Sambucus nigra*) that is native to most of the east, central, and southwest parts of North America.[2] It has long been a sacred tree to the people of the Cahuilla Nation, in what is today considered Southern California.

The common name “elder” is from the Anglo-Saxon “ellen,” meaning fire-kindler, for the dry, pithy stems often used as kindling, and blue from the fruit color.[3] The plant’s Spanish name “saúco” comes from the Latin *sambucus* and this from the Greek *σαμβύκη* (*sambúke*), which refers to an ancient stringed musical instrument, a harp-like lyre, known as the *sambuca*. They were made from the wood of the elder tree.[4]




IDENTIFICATION


American elderberry is a bush or small tree from 5 to 12 feet tall depending on its age.



The **leaves** are oblong, oval with pointed ends, and have a sawtooth edge. They are arranged in groups of five or seven in opposite pairs, leaves directly across from each other, and one leaf at the point. Leaves are deciduous, meaning they are shed during winter annually.



The bark on new growth is green; on older branches and trunks, the bark is gray-brownish. The bark has distinctive bumps, and the older bark has vertical furrows that look like stretch marks. Stems are light, hollow, and easy to break.



Unopened flower buds



Elderflowers

Clusters of white flowers form in the late Spring. The flowers are tiny, have five petals, and are arranged in flat or dome-like clusters up to 10 inches across.

In the Summer, the flowers become green berries that ripen to a dark purple or black color.

Elderberries



The berries are usually fully ripe by August.[5]

GROWING/FORAGING

There are a few varieties of elderberry. Black elderberries have well-documented medicinal properties. There is a native European variety and many cultivated varieties that can be purchased online or at nurseries. There are also blue and red elderberries. Blue berried varieties are edible but of unknown medicinal use and red berried varieties are toxic.

A cultivar of the European Elderberry called *S. nigra* subsp. *nigra* 'Marge' is being studied for horticultural purposes in the Midwest, where most elders struggle. It boasts of less mite damage and higher yield. However, in addition to not being native, it does not fruit on first-year wood and, therefore, requires careful pruning regimens.[6]

Growing Conditions

**moist
soil**



**fertile
soil**



**full
sun**



**near
water**



Elderberry trees like moist, fertile soil and full sun. They can be found in the wild, growing near bodies of water, in clearings, or on the edges of forested areas. It likes to grow in thickets sending up many new suckers from the root system to form new trunks around the base of existing trees.[7]

Lookalikes



Photo by Thomas Barnes. USDA

Water Hemlock

Some people may confuse elderberry and water hemlock. However, they are relatively easy to tell apart since elder is a shrub, meaning it has bark, while water hemlock is herbaceous, meaning it has hollow green and purple stems.

The berries of pokeweed and beautyberry bushes are both a similar color, but neither grow in umbrella-shaped clusters like elderberry. Pokeweed is toxic.



Beautyberry




Pokeweed

Elderberry is also not to be confused with walnut (*Juglans regia*), which also has alternately arranged leaves.

All varieties of Elderberry can be grown from root cuttings, hardwood cuttings, softwood cuttings, or seeds. Plants from seeds, while inconsistent in quality and berry production, may be hardier. Plants grown from cuttings are more uniform and produce flowers and berries sooner but have more fragile root systems.[9]

Established elderberry bushes send out root runners just under the soil surface. These runners can be easily cut with a shovel and the new shoot can be replanted with a very high success rate.



Once established, they require little water and are drought tolerant. They also require little in the way of fertilizer.[10]

However, if you want more flowers and berries, top dressing with compost, watering during dry periods, and balanced fertilizer will help. Check out this UF IFAS publication for everything you would want to know about growing elderberry.

The berries are very perishable and will go bad within a few hours in the Florida heat. They should be refrigerated as soon as possible and then either used, dried, or frozen within a few days.[11]

SUSTAINABILITY

Native *Sambucus* varieties are generally prolific, growing along roadsides, woodlands, and even in parks. Elderberries can offer habitat through their natural multi-story arrangement. The plants provide shade, cool stream water, and their roots stabilize and create overhanging banks for fish and aquatic organisms. There are no issues with harvesting either flowers or berries besides the usual wild harvesting guidelines to take from abundant areas and take no more than 10% of what you find.

The berries are a food source for birds, squirrels, and bears, while deer, elk, and moose eat the stems and foliage. The plant is an especially important food source for many songbirds, and the valley elderberry longhorn beetle (*Desmocerus californicus dimorphus*) was listed as threatened under the Endangered Species Act in 1980 due to loss of habitat and insecticide and herbicide use. Birds that feed on elderberries include: the western bluebird, indigo bunting, common house finch, red-shafted flicker, ashthroated flycatcher, black-headed grosbeak, scrub jay, Stellar jay, ruby-crowned kinglet, mockingbird, redbreasted nuthatch, Bullock's oriole, hooded oriole, song sparrow, white-crowned sparrow, western tanager, California thrasher, russet-backed thrush, brown towhee, Audubon warbler, cedar waxwing, Lewis and Nuttall's woodpecker, wren-tit, grouse, pheasant, and pigeons.¹² So be sure to share by leaving plenty behind.



MEDICINAL AND FOOD PROPERTIES

Elderberries are most commonly known as a remedy for the flu. Supplementation with elderberry has been found to reduce upper respiratory symptoms substantially. As such, it is an alternative to antibiotic misuse and a potentially safer alternative to prescription medications for common colds and the flu.¹³ Berries are harvested in August here in North Florida, which is perfect timing to make elderberry syrup for the approaching Autumn flu season. Elderberries are broadly immune-boosting, which is great for preventing illness in general.¹⁴ In addition to that support, compounds in the berries help stop the influenza virus from being able to access human host cells to reproduce, stopping the spread of the virus and giving our bodies a chance to recover more quickly.¹⁵

In a randomized study of the efficacy of elderberry extract to treat influenza A and B, symptoms were relieved an average of 4 days earlier and people were less likely to need to rely on conventional medication for treatment. The dosing used for this study was 15ml of elderberry syrup, 4 times a day, for 5 days.¹⁶ People often use elderberry syrup as a preventative measure during flu season, taking a lower dosage of 1 to 2 tablespoons once or twice a day when not showing symptoms, and increasing that to 2 tablespoons three or four times a day at the first sign of oncoming flu.

The berries and flowers are **anti-inflammatory** and can be ingested, often as a tea or syrup, for issues in the throat, stomach, gut, and urinary tract.

The flowers, considered the mildest part of the plant, are commonly used to **break fevers, aid headaches**, and reduce inflammation of the **respiratory system**, including seasonal

allergies and **hay fever**. Elderberry contains flavonoids and crystalline plant pigments, such as quercetin. Quercetin is known to stop or reduce allergic reactions (inhibition of histamine release and decrease in pro-inflammatory cytokines).^{17 18} They are also useful for **sinus issues** and **ear infections**. Elderflowers can also be used as a wet compress on **irritated skin** or in a mouthwash for **oral inflammation**.^{19 20}

Additionally, the Creek have used this plant for **women's health** issues, including breast treatments and gynecological aid. There is strong evidence to show that several phytochemicals present in elderberries, like quercetin, interact with and alter the **estrogen receptor pathways** that lead to conditions such as **breast cancer** (cell death versus cell birth).^{21 22 23}

Elder has a long history of use by the Cahuilla people and, consequently, the Spanish as a result. They subsisted on a sauce called saúco made of the berries in July/August and dried it for use in winter. They also used it to dye (black), make baskets, combs, arrows, flutes, whistles, and clapper sticks. The clapper sticks were used ceremonially along with singing and dancing.²⁴

We have records of traditional uses for elderberry from many North American tribes. They understood many of the same properties we've explored already. Here is a sample of some other traditional uses. The Algonquin, Chippewa, Iroquois, and Seminole used the bark or roots to induce vomiting (not recommended.) The Cherokee, Delaware, Iroquois, and Rappahannock used the bark for **sores, swelling**, and other skin issues. The Creek used a poultice of pounded roots and stalks to treat **swollen breasts**. The Rappahannock fermented the berries as for **rheumatism**. Many tribes, including the Cherokee, Chippewa, Dakota, and Iroquois ate the fruit either dried, preserved, or cooked. The Pawnee and Omaha used the flowers to make a tea-like drink.²⁵

SAFETY

Only the ripe fruit of *Sambucus* should be eaten and only after cooking or drying them. The leaves, stems, canes, roots, unripe berries, and possibly the seeds of *Sambucus* contain sambunigrin, compounds known as cyanogenic glucosides, which can be toxic because they release cyanide, as the name implies.^{26 27} However, the Seminole tribe is known to have used these parts of the plant for digestive issues and to induce vomiting (emetic).²⁸

Only the flowers and the blue or black berries are used. All other parts of the plant, including the red berries, are toxic.²⁹


RECIPE:

Double Elder Tea

This potent tea combines the power of both elderflower and elderberry. It's great for reducing discomfort and shortening the length of the flu. It's also wonderful for boosting your immune system or helping with seasonal allergies.

Ingredients

- 2 tbsp elderberries
- 1 tbsp elderflowers
- 1 cup water
- Honey or other sweetener



Instructions

Add two tablespoons of elderberries per 1 cup of water into a pot. Simmer for at least 20 minutes. Remove from heat then add one tablespoon of elderflowers per cup and let sit for at least another 20 minutes up to overnight. Strain the liquid with a cheesecloth or a coffee filter. Add honey or another sweetener to taste.

RECIPE: Elderberry Syrup

Ingredients


- 2 cups dried elderberries, or 4 cups fresh
- 4 cups water
- 1 cup fresh ginger chopped or ½ cup dried
- ½ cup dried wild cherry bark
- 2 cups honey
- 1 cup vodka or other high-proof alcohol (optional)

Instructions

1. Combine all ingredients in a pot.
2. Bring it to a boil.
3. Reduce heat and simmer uncovered until the reduced by half.
4. Remove from heat and let it sit covered to cool.
5. While still warm, strain out the berries and herbs using a strainer with cheesecloth, muslin, or a disposable coffee filter.
6. Add honey to the remaining liquid and stir well
7. Add alcohol if desired
8. Bottle and store in the refrigerator or freezer

Notes

- Honey is a preservative and will keep the syrup for about three months in the fridge. Adding alcohol will extend that life further, up to a year.
- You can add less honey if you're avoiding sweets for any reason. You want to have at least a 1:2 ratio of honey to liquid, which means you should add at least one cup of honey for every two cups of liquid.
- You can add other or different herbs. Some to consider include;
 - orange peel or rose hips for vitamin C
 - cinnamon or cloves for anti-microbial action, digestion help, and warming
 - echinacea for more immune support
 - white willow, meadowsweet, or yarrow for fever and pain reduction



Sources

Find source links at weedsanddeeds.com/elderberry

- 1 Elder Ernest Siva, Cahuilla-Serrano. Elderberry Memories. Dorothy Ramon Learning Center. YouTube
- 2 David Taylor. Plant of the Week: American Black Elderberry (*Sambucus nigra* L. ssp. *Canadensis* (L.) R. Bolli). US Forest Service.
- 3 Plant Guide: Common elderberry. USDA
- 4 Saucó o saúco. *Sambucus canadensis*. Instituto de Ecología, A.C.
- 5 Shannon Lauderdale. Identify the American Elderberry by leaves, bark, berries or flowers. Elderberry Edge Farm
- 6 Thomas AL, Byers PL, Avery JD Jr, Kaps M, Gu S, Johnson HY, Millican M. 'Marge': a European Elderberry for North American Producers. *Acta Hort.* 2015;1061:191-199. doi: 10.17660/ActaHortic.2015.1061.20. PMID: 27182104; PMCID: PMC4863952.
- 7 UF|IFAS. Elderberry. Gardening Solutions.
- 8, 29 Greene Dean. Elderberry or Water Hemlock? Eat the Weeds.
- 9 Plant Guide: Common elderberry. USDA
- 10, 11, 26 David Jarnagin, Ali Sarkhosh, Juanita Popenoe, Steve Sargent, and Kevin Athearn. ELDERBERRY AND ELDERFLOWER (*SAMBUCUS* spp.): A CULTIVATION GUIDE FOR FLORIDA. PUBLICATION #HS1390 2020-10-21
- 12 Stevens, M. 2001. Plant Guide for common elderberry (*Sambucus nigra* L. ssp. *Canadensis* (L.) R. Bolli. USDA-National Resources Conservation Service, National Plant Data Center, Baton Rouge, LA.
- 13 Hawkins J, Baker C, Cherry L, Dunne E. Black elderberry (*Sambucus nigra*) supplementation effectively treats upper respiratory symptoms: A meta-analysis of randomized, controlled clinical trials. *Complement Ther Med.* 2019 Feb;42:361-365. doi: 10.1016/j.ctim.2018.12.004. Epub 2018 Dec 18. PMID: 30670267.
- 14 Donald R Yance. Elderberry. Adaptogens in Medical Herbalism.
- 15, 19 Krystal Thompson. Elder Monograph. Herb Rally
- 16 Zakay-Rones Z, Thom E, Wollan T, Wadstein J. Randomized study of the efficacy and safety of oral elderberry extract in the treatment of influenza A and B virus infections. *J Int Med Res.* 2004 Mar-Apr;32(2):132-40. doi: 10.1177/147323000403200205. PMID: 15080016.
- 17 Drugs and Lactation Database (LactMed) [Internet]. Bethesda (MD): National Library of Medicine (US); 2006-. Elderberry. 2021 Jun 21. PMID: 30000895.
- 18 Mlcek, J., Jurikova, T., Skrovankova, S., & Sochor, J. (2016). Quercetin and Its Anti-Allergic Immune Response. *Molecules* (Basel, Switzerland), 21(5), 623. <https://doi.org/10.3390/molecules21050623>
- 20 Elderberry – Herbal Jedi
- 21 Ayier, H. S., Warri, A. M., Woode, D. R., Hilakivi-Clarke, L., & Clarke, R. (2012). Influence of berry polyphenols on receptor signaling and cell-death pathways: implications for breast cancer prevention. *Journal of agricultural and food chemistry*, 60(23), 5693–5708. <https://doi.org/10.1021/jf204084f>
- 22 Veberic R, Jakopic J, Stampar F. Flavonols and anthocyanins of elderberry fruits (*SAMBUCUS NIGRA* L.) *Acta Hort (ISHS)* 2009:841.
- 23 Hutton, K. A Comparative Study of the Plants Used for Medicinal Purposes by the Creek and Seminole Tribes. 2010. Graduate Theses and Dissertations. <https://digitalcommons.usf.edu/cgi/viewcontent.cgi?article=2664&context=etd&gathStatIcon=true>
- 24 Barrows, D.P. 1967. Ethno-botany of the Coahuilla Indians. Malki Museum Press. Banning, California. 82 pp.
- 25 Daniel E Moerman. Native American Ethnobotany. 1998
- 27 National Center for Biotechnology Information (2021). PubChem Compound Summary for CID 91434, Sambunigrin. Retrieved December 29, 2021 from <https://pubchem.ncbi.nlm.nih.gov/compound/Sambunigrin>.
- 28 Hutton, K. A Comparative Study of the Plants Used for Medicinal Purposes by the Creek and Seminole Tribes. 2010. Graduate Theses and Dissertations. <https://digitalcommons.usf.edu/cgi/viewcontent.cgi?article=2664&context=etd&gathStatIcon=true>



This zine is based on the Weeds and Deeds plant profile found at the link below. It was created on March 8, 2025. Visit the webpage for the latest version.

weedsanddeeds.com/elderberry



The ideas in this zine are not medical advice. No state or federal authority licenses herbalists in the United States, so this information is for educational purposes only. Everyone's body is different, so the remedies here may or may not apply directly to you.

We hope that they'll give you some good information to think about and to research further.

Good health is your own personal responsibility. The final decision when considering any course of therapy, whether it's been discussed in a zine or prescribed by your physician, is actually yours.



willopress.com

If this were in
a library it
would be here:

6I5.32